We're not afraid of water, caustic foams or crud. And we can do it all day long without lubrication or corrosion. Plus, we GUARANTEE 4-8 times the life against stainless bearings and flange blocks.



1-800-513-3163 www.FDABEARINGS.com


### The Foremost in Hygienic Flange Block Design meets the Leader in Technical Hybrid Stainless/Ceramic Bearings

#### Guaranteed 4-8 X's the Life!

Group 1Metric 4 Bolt Flange Sizes Metric Corrotec 020 NGI XB4FC47/CSB CM Closed Corrotec 020 NGI XB4FC47/CSB OM Open Corrotec 025 NGI XB4FC52/CSB CM Closed Corrotec 025 NGIXB4FC52/CSB OM Open Corrotec 030 NGI XB4FC62/CSB CM Closed Corrotec 030 NGI XB4FC62/CSB OM Open Corrotec 035 NGI XB4FC72/CSB CM Closed Corrotec 035 NGI XB4FC72/CSB OM Open Corrotec 040 NGI XB4FC80/CSB CM Closed Corrotec 040 NGI XB4FC80/CSB OM Open



4 Bolt Flange Inch Sizes Corrotec 3/4" NGI XB4FC47/CSB CM Closed Corrotec 3/4" NGI XB4FC47/CSB OM Open Corrotec 1" NGI XB4FC52/CSB CL Closed Corrotec 1" NGI XB4FC52/CSB OM Open Corrotec 1 1/4" NGI XB4FC62/CSB CL Closed Corrotec 1 1/4" NGI XB4FC62/CSB OM Open Corrotec 1 3/8" NGI XB4FC72/CSB CM Closed Corrotec 1 3/8" NGI XB4FC72/CSB OM Open Corrotec 1 1/2" NGI XB4FC80/CSB CM Closed Corrotec 1 1/2" NGI XB4FC80/CSB OM Open



Corrotec 020 NGI XB3FC47/CSB CM Closed Corrotec 020 NGI XB3FC47/CSB OM Open Corrotec 025 NGI XB3FC52/CSB CL Closed Corrotec 025 NGI XB3FC52/CSB OM Open Corrotec 030 NGI XB3FC62/CSB CL Closed Corrotec 030 NGI XB3FC62/CSB OM Open



3 Bolt Flange Inch Sizes Corrotec 3/4" NGI XB3FC47/CSB CM Closed Corrotec 3/4" NGI XB3FC47/CSB OM Open Corrotec 1" NGI XB3FC52/CSB CL Closed Corrotec 1" NGI XB3FC52/CSB OM Open Corrotec 1 1/4" NGI XB3FC62/CSB CL Closed Corrotec 1 1/4" NGI XB3FC62/CSB OM Open



Group 3 Metric

2 Bolt Flange Sizes Metric Corrotec 020 NGI XB2FC47/CSB CM Closed Corrotec 020 NGI XB2FC47/CSB OM Open Corrotec 025 NGI XB2FC52/CSB CM Closed Corrotec 025 NGI XB2FC52/CSB OM Open Corrotec 030 NGI XB2FC62/CSB CM Closed Corrotec 030 NGI XB2FC62/CSB OM Open Corrotec 035 NGI XB2FC72/CSB CM Closed Corrotec 035 NGI XB2FC72/CSB OM Open Corrotec 040 NGI XB2FC80/CSB CM Closed Corrotec 040 NGI XB2FC80/CSB OM Open



Corrotec 3/4" NGI XB2FC47/CSB CM Closed Corrotec 3/4" NGI XB2FC47/CSB OM Open Corrotec 1" NGI XB2FC52/CSB CM Closed Corrotec 1" NGI XB2FC52/CSB OM Open Corrotec 1 1/4" NGI XB2FC62/CSB CM Closed Corrotec 1 1/4" NGI XB2FC62/CSB OM Open Corrotec 1 3/8" NGI XB2FC72/CSB CM Closed Corrotec 1 3/8" NGI XB2FC72/CSB OM Open Corrotec 1 1/2" NGI XB2FC80/CSB CM Closed Corrotec 1 1/2" NGI XB2FC80/CSB OM Open



1-800-513-3163 ww.FDABEARINGS.com

2 Bolt Flange Block Inch Sizes


### FOOD PROCESS, BIO/PHARMA Maintenance Managers -It doesn't get better than this.





Technical Ceramics
In Motion

## 



#### THE FUTURE IS HERE...

Silicon Nitride Balls are Harder/Smoother/More Round and Less than 40% the Weight of Comparable Steel Balls

Lower Coefficient of Friction and Lower Operating Temps mean Extended Lubrication Life

Chemically Inert/Electrically Insulated

Lower Weight/Lower Friction means up to 50% Faster Speeds Using less Energy

# CORROTEC

Can Run DRY with SLT

1-800-513-3163

www.FDABEARINGS.com



Engineering Edge